


L Number	Hits	Search Text	DB	Time stamp
_	70	x.121	USPAT; EPO; JPO;	2002/10/01 15:33
-	11	x.121.bsum.	DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/10/01 15:26
-	1	((configuration near4 table) and (database and (mib (management adj informaiotn adj base))) and ((mac (media adj access adj control)) near10	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/01 17:03
_	0	address\$4)) and (dns (domain adj name adj (server system))) (configuration near4 table) and (database and (mib (management adj informaiotn adj base))) and x.121	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/01 17:04
-	0	x.121 and (configuration near4 table)	USPAT; EPO; JPO; DERWENT;	2002/10/01 17:04
-	41	x.121 and ((stor\$4 sav\$4) same address\$4)	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/10/02 17:17
-	7905	configuration near4 table	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/10/02 09:39
-	132	(dns (domain adj name adj (server system))) and (configuration near4 table)	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 09:40
-	357	rdns (revers\$4 adj3 domain adj name adj (server system))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 10:03
_	4	(revers\$4 adj3 domain adj name adj (server system))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 10:04
-	366	address\$4 and (nam\$4 adj2 (look lookup look-up))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/03 09:41
_	100	address\$4 same (nam\$4 adj2 (look lookup look-up))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 15:39
_	31	<pre>(configuration near4 table) and (database and (mib (management adj information adj base))) and ((mac (media adj access adj control)) near10 address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 15:37
_	6		USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02
-	3	<pre>(address\$4 same (nam\$4 adj2 (look lookup look-up))) and (address\$4 near10 conver\$6 near10 nam\$4) and (sourc\$4 near10 address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 15:40
-	241	(address\$4 near10 conver\$6) adj10 nam\$4	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/10/02 15:44



		_		
-	48	(dns (domain adj name adj (server	USPAT;	2002/10/02
		system)) (domain near3 nam\$4)) and	EPO; JPO;	16:55
		((address\$4 near10 conver\$6) adj10 nam\$4)	DERWENT;	
			IBM_TDB	2002/10/02
-	1	(dns (domain adj name adj (server	USPAT;	2002/10/02
	1	system)) (domain near3 nam\$4)) and	EPO; JPO;	15:48
		((address\$4 near10 conver\$6) adj10 nam\$4)	DERWENT;	
		and ((mac (media adj access adj control))	IBM_TDB	
		near10 address\$4) ((address\$4 near10 conver\$6) adj10 nam\$4)	USPAT;	2002/10/02
-	2	and ((mac (media adj access adj control))	EPO; JPO;	15:48
		near10 address\$4)	DERWENT;	15.40
		Near 10 address 41/	IBM TDB	
_	7	(address\$4 same (nam\$4 adj2 (look lookup	USPAT;	2002/10/02
-	'	look-up))) and ((mac (media adj access	EPO; JPO;	16:05
		adj control)) near10 address\$4)	DERWENT;	
		aug,,,,,	IBM TDB	
_	104	(dns (domain adj name adj (server	USPAT;	2002/10/02
		system))) and (((configuration address\$4	EPO; JPO;	16:42
	į į	rout\$4) near4 table) same (sourc\$4 near10	DERWENT;	·
		address\$4))	IBM TDB	
-	100	(dns (domain adj name adj system)) and	USPĀT;	2002/10/02
		(((configuration address\$4 rout\$4) near4	EPO; JPO;	16:44
		table) same (sourc\$4 near10 address\$4))	DERWENT;	
			IBM_TDB	
-	57	(dns (domain adj name adj system)) and	USPĀT;	2002/10/02
		(((address\$4) near4 table) same	EPO; JPO;	16:45
		(sourc\$4 near10 address\$4))	DERWENT;	
			IBM_TDB	
-	15	x.121 and ((stor\$4 sav\$4) same address\$4)	USPAT;	2002/10/03
		and ((configuration address\$4 rout\$4)	EPO; JPO;	08:43
		near4 table)	DERWENT;	
1			IBM_TDB	
-	11	x.121 and ((stor\$4 sav\$4) same address\$4)	USPAT;	2002/10/03
		and ((configuration address\$4 rout\$4)	EPO; JPO;	09:04
		near4 table) and nam\$4	DERWENT;	
	_	121 1 ((4 (4 (4 (4)	IBM_TDB	2002/10/03
-	5	x.121 and (nam\$4 same (stor\$4 sav\$4) same	USPAT; EPO; JPO;	2002/10/03
1	1	address\$4) and ((configuration address\$4 rout\$4) near4 table)	DERWENT;	08.46
		Toutsy) heary table;	IBM TDB	
_	6	(x.121 and ((stor\$4 sav\$4) same	USPAT;	2002/10/03
-		address\$4) and ((configuration address\$4)	EPO; JPO;	09:04
		rout\$4) near4 table) and nam\$4) not	DERWENT;	03.01
		(x.121 and (nam\$4 same (stor\$4 sav\$4)	IBM TDB	
		same address\$4) and ((configuration		
		address\$4 rout\$4) near4 table))		
-	2659	(mac (media adj access adj control))	USPAT;	2002/10/03
1		near10 address\$4	EPO; JPO;	09:29
1			DERWENT;	
1	1		IBM_TDB	
-	493	address\$4 and wildcard	USPĀT;	2003/02/21
			EPO; JPO;	14:32
1			DERWENT;	
1			IBM_TDB	
-	9		USPAT;	2002/10/03
		adj access adj control)) near10	EPO; JPO;	09:49
		address\$4) and ((nam\$4 address\$4) same	DERWENT;	
		(stor\$4 sav\$4) same table)	IBM_TDB	2000/10/23
-	91	1 , , , , , , , , , , , , , , , , , , ,	USPAT;	2002/10/03
		near10 address\$4) and ((nam\$4) same	EPO; JPO;	09:49
1		(stor\$4 sav\$4) same table)	DERWENT;	
			IBM_TDB	2002/10/02
-	564	database and (mib (management adj	USPAT;	2002/10/03
		informaiotn adj base))	EPO; JPO;	09:49
1			DERWENT;	
			IBM_TDB	L



	15	((mac (media adj access adj control))	USPAT;	2002/10/03
		near10 address\$4) and (database and (mib	EPO; JPO;	14:06
		(management adj informaiotn adj base)))	DERWENT;	
		and ((nam\$4) same (stor\$4 sav\$4) same	IBM_TDB	
		table) (dns (domain adj name adj system)) and	USPAT;	2002/10/03
-	8	(dns (domain ad) hame ad) system)) and (database and (mib (management ad)	EPO; JPO;	10:38
		information adj base))) and (nam\$4 same	DERWENT;	10.50
		address\$4 same (sav\$4 stor\$4) same	IBM TDB	†
		(database table))	15.1_155	
_	144	map\$5 adj7 address\$4 adj7 nam\$4	USPAT;	2002/10/03
			EPO; JPO;	10:47
			DERWENT;	
			IBM_TDB	
-	8	(map\$5 adj7 address\$4 adj7 nam\$4) and	USPAT;	2002/10/03
	1	(mib (management adj informaiotn adj	EPO; JPO;	10:47
		base))	DERWENT;	
			IBM_TDB	
-	37	(dns (domain adj name adj (server	USPAT;	2002/10/03
		system))) and (configuration near4 table)	EPO; JPO;	11:40
		and (sourc\$4 near10 address\$4)	DERWENT;	
	(147	//atored anyed) some /source manual	IBM_TDB USPAT;	2002/10/03
-	6147	((stor\$4 sav\$4) same (source near4 address\$4))	EPO; JPO;	11:54
		audressyll	DERWENT;	11.01
			IBM TDB	
_	506	(((stor\$4 sav\$4) same (source near4	USPAT;	2002/10/03
		address\$4))) and ((mac (media adj access	EPO; JPO;	11:54
		adj control)) near10 address\$4)	DERWENT;	
			IBM TDB	
-	198	((mac (media adj access adj control))	USPĀT;	2002/10/03
		near10 address\$4) and ((((stor\$4 sav\$4)	EPO; JPO;	11:56
		same (source near4 address\$4))) same	DERWENT;	
		(table database))	IBM_TDB	
-	25	((mac (media adj access adj control))	USPAT;	2002/10/03
		near10 address\$4) and ((((stor\$4 sav\$4)	EPO; JPO;	13:03
		same (source near4 address\$4))) same	DERWENT;	
		(table database)) and (database and (mib	IBM_TDB	
_	5	<pre>(management adj informaiotn adj base))) ((mac (media adj access adj control))</pre>	USPAT;	2002/10/03
	,	near10 address\$4) and (((stor\$4 sav\$4)	EPO; JPO;	13:37
		same (source near4 address\$4))) same	DERWENT;	13.37
		(table database)) and (database and (mib	IBM TDB	
	Ì	(management adj informaiotn adj base)))		
		and (address\$4 near10 pool\$4)		
-	5	((mac (media adj access adj control))	USPAT;	2002/10/03
		near10 address\$4) and (database and (mib	EPO; JPO;	13:39
	1	(management adj informaiotn adj base)))	DERWENT;	
		and (address\$4 near10 pool\$4) and	IBM_TDB	
		((stor\$4 adj5 forward\$4) same (table		
	3.5	database))	HCDAT.	2002/10/02
-	25	((mac (media adj access adj control)) near10 address\$4) and ((((stor\$4 sav\$4)	USPAT; EPO; JPO;	2002/10/03 14:05
		same (source near4 address\$4))) same	DERWENT;	17.03
		(table database)) and (database and (mib	IBM TDB	
		(management adj informaiotn adj base)))		
-	20	((mac (media adj access adj control))	USPAT;	2002/10/03
		near10 address\$4) and (database and (mib	EPO; JPO;	14:20
		(management adj informaiotn adj base)))	DERWENT;	
		and ((source adj4 address\$4) same	IBM_TDB	
		(stor\$4 sav\$4) same table)	-	
-	15	(dns (domain adj name adj (server	USPAT;	2002/10/03
		system))) and (address\$4 near10 pool\$4)	EPO; JPO;	16:19
		and (mib (management adj informaiotn adj	DERWENT;	
		base))	IBM_TDB	2000 (# 0 / = =
-	178	(dns (domain adj name adj (server	USPAT;	2002/10/03
1		system))) and ((stor\$4 adj6 forward)	EPO; JPO;	16:20
		store-and-forward\$4)	DERWENT;	
			IBM_TDB	L

_	50	((dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)) and (rout\$4 near7	USPAT; EPO; JPO; DERWENT;	2002/10/03 16:20
-	31	table) (((dns (domain adj name adj (server system))) and ((stor\$4 adj6 forward) store-and-forward\$4)) and (rout\$4 near7	IBM_TDB USPAT; EPO; JPO; DERWENT;	2002/10/03
-	17	table)) and (rout\$4 near6 table) and (group\$4 same address\$4) and (dns (domain adj name adj (server system))) ((((dns (domain adj name adj (server	IBM_TDB USPAT;	2002/10/03
		system))) and ((stor\$4 adj6 forward) store-and-forward\$4)) and (rout\$4 near7 table)) and (rout\$4 near6 table) and (group\$4 same address\$4) and (dns (domain adj name adj (server system)))) and ((rout\$4 near10 table) same (stor\$4 sav\$4))	EPO; JPO; DERWENT; IBM_TDB	16:22
_	26580	<pre>(address\$4 near11 (portion\$4 position\$4 section\$4)) and (first near8 (portion\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:12
-	2531	(address\$4 near11 (portion\$4 position\$4 section\$4)) and (first near8 (portion\$4 position\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:17
-	1111	(address\$4 near11 (portion\$4 position\$4 section\$4)) and (first near8 (portion\$4 position\$4 position\$4 position\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4 same	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:18
-	566	(portion\$4 position\$4 section\$4 part))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:20
-	438	(portion\$4 position\$4 section\$4 part)) (address\$4 near11 (portion\$4 position\$4 section\$4)) and (first near8 (portion\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4 near9 (portion\$4 position\$4 section\$4 part)) and ((sav\$4 stor\$4) near8 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21
_	317		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:26
-	87		USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 10:37

_	4	((address\$4 near7 (portion\$4 position\$4 section\$4)) and (first near6 (portion\$4 position\$4 section\$4 part)) and (second near6 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near7 address\$4 near7 ((first second) near5 (portion\$4 position\$4 section\$4 part))) and ((sav\$4 stor\$4) near6 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21
_	15	((address\$4 near11 (portion\$4 position\$4 section\$4)) and (first near8 (portion\$4 position\$4 section\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4 near9 (portion\$4 position\$4 section\$4 part)) and ((sav\$4 stor\$4) near8 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:32
_	121	((address\$4 near11 (portion\$4 position\$4 section\$4)) and (first near8 (portion\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4)) and ((ip mac) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 12:55
	11	((address\$4 nearl1 (portion\$4 position\$4 section\$4)) and (first near8 (portion\$4 position\$4 section\$4 position\$4 section\$4 position\$4 section\$4 part)) and (second near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4 near9 (portion\$4 position\$4 section\$4 part)) and ((sav\$4 stor\$4) near8 address\$4)) and ((ip mac) near5 address\$4)not (((address\$4 near7 (portion\$4 position\$4 section\$4)) and (first near6 (portion\$4 position\$4 section\$4 part)) and (second near6 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near7 address\$4 near7 ((first second) near5 (portion\$4 position\$4 section\$4 part)) and ((sav\$4 stor\$4) near6 address\$4)) and ((ip mac) near5 address\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 10:38
-	39	<pre>((address\$4 nearl1 (portion\$4 position\$4 section\$4)) and (right near8 (portion\$4 position\$4 section\$4 part)) and (left near8 (portion\$4 position\$4 section\$4 part)) and ((replac\$4 substitu\$6 exchang\$5) near9 address\$4)) and ((ip mac) near5 address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 13:16
-	140	<pre>((left right first second) same (portion\$4 position\$4 section\$4 part) same (replac\$4 substitu\$6 exchang\$5 (in adj place)) same (ip mac address\$4)) and ((ip mac) near5 address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 13:21
-	39	<pre>((left right first second) same (portion\$4 position\$4 section\$4 part) same (replac\$4 substitu\$6 exchang\$5 (in adj place)) near7 (ip mac address\$4)) and ((ip mac) near5 address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 13:23
-	432	address\$4 and wildcard\$4 and (replac\$4 substitu\$6 exchang\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 14:33
_	65	<pre>(address\$4 nearl1 wildcard\$4) and (replac\$4 substitu\$6 exchang\$5)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 14:51



_	109	(address\$4 near11 wildcard\$4) and	USPAT;	2003/02/21
		(replac\$4 substitu\$6 exchang\$5)	US-PGPUB;	14:50
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3	(address\$4 nearl1 wildcard\$4) same	USPAT;	2003/02/21
		(replac\$4 substitu\$6 exchang\$5)	EPO; JPO;	14:53
			DERWENT;	
			IBM TDB	
-	11	(address\$4 near11 (wildcard\$4 (wild adj	USPAT;	2003/02/21
		card\$4))) same (replac\$4 substitu\$6	EPO; JPO;	14:58
		exchang\$5)	DERWENT;	
			IBM TDB	
-	2	(address\$4 near11 (wildcard\$4 (wild adj	USPAT;	2003/02/21
		card\$4))) same (replac\$4 substitu\$6	EPO; JPO;	15:42
		exchang\$5) and (wildcard\$4 (wild adj	DERWENT;	
		card\$4)) and ((ip mac) near5 address\$4)	IBM TDB	ļ
		and (rout\$5 near11 (tabl\$4 databas\$4))	_	
-	3	(address\$4 near11 (wildcard\$4 (wild adj	USPAT;	2003/02/21
		card\$4))) same (replac\$4 substitu\$6	EPO; JPO;	15:52
		exchang\$5) and (wildcard\$4 (wild adj	DERWENT;	
		<pre>card\$4)) and ((ip mac) near5 address\$4)</pre>	IBM TDB	
		and ((stor\$4 sav\$4) near11 address\$5)		